HPD UNIQUE IDENTIFIER: 2081316864

CLASSIFICATION: 10 22 19 Demountable Partitions

PRODUCT DESCRIPTION: Melius is a demountable glass wall system with the perfect mix of premium aesthetics and acoustic privacy for the modern office environment with a glass pivot door. The ease of installation and reconfiguration ensures an organization can easily grow and evolve its space as needed without the hassles of a traditional renovation. The Melius wall system is highly customizable and offers a wide range of acoustic ratings to meet any project's needs.



# Section 1: Summary

# **Nested Method / Product Threshold**

#### **CONTENT INVENTORY**

# **Inventory Reporting Format**

- Nested Materials Method
- C Basic Method
- **Threshold Disclosed Per**
- Material
- Product

### **Threshold Level**

- C 1,000 ppm
- C Per GHS SDS
- Other

# Residuals/Impurities Evaluation

Completed in 6 of 6 Materials

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved methods.

Identified Yes ○ No

Provided name and CAS RN or other identifier.

#### CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR **IMPURITY** 

GREENSCREEN SCORE | HAZARD TYPE

GLASS [ SILICON DIOXIDE BM-1 | CAN | MAM SODIUM OXIDE BM-2 LIME BM-2 | SKI | MAM | EYE MAGNESIUM OXIDE BM-3dg | CAN | MAM ] ALUMINIUM PROFILE [ ALUMINUM BM-1 | END | PHY | MAM MAGNESIUM LT-UNK | PHY | MAM | SKI | EYE SILICON, ELEMENTAL LT-UNK IRON, ELEMENTAL LT-P1 | END COPPER LT-P1 | MUL | AQU | MAM CHROMIUM LT-P1 | END | SKI | MAM | REP | RES ZINC, ELEMENTAL LT-P1 | MUL | AQU ] POWDER COATING [ BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | MUL | SKI | EYE | AQU TITANIUM DIOXIDE BM-1 \* | CAN | END | MAM FIBERGLASS LT-UNK] VINYL FILM [ POLYVINYL BUTYRAL LT-UNK] STEEL HARDWARE [ IRON, ELEMENTAL LT-P1 | END CHROMIUM LT-P1 | END | SKI | MAM | REP | RES NICKEL LT-1 | CAN | MUL | RES | MAM | SKI | AQU ] SEALING STRIP [ 4,7-METHANO-1H-INDENE, 3A,4,7,7A-TETRAHYDRO-, POLYMER WITH ETHENE AND 1-PROPENE LT-UNK

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1

Nanomaterial ... No

#### **INVENTORY AND SCREENING NOTES:**

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. All ingredients and materials have been screened at a 100 ppm level. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

\*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

# **VOLATILE ORGANIC COMPOUND (VOC) CONTENT**

VOC Content data is not applicable for this product category.

**CERTIFICATIONS AND COMPLIANCE** See Section 3 for additional

VOC emissions: Inherently non-emitting source per LEED

#### **CONSISTENCY WITH OTHER PROGRAMS**

Pre-checked for LEED v4 Option 1. Pre-checked for LEED v4.1 Option 1. Third Party Verified?

• Yes

No

PREPARER: Self-Prepared VERIFIER: VERIFICATION #:

SCREENING DATE: 2024-06-05 PUBLISHED DATE: 2024-06-21 EXPIRY DATE: 2027-06-05

# Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- · Basic Inventory method with Product-level threshold.
- · Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GLASS %: 90.0000 - 94.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES: Base material.

SILICON DIOXIDE ID: 7631-86-9

HAZARD DATA SOURCE:	Pharos Chemical and Materials Librar	у	HAZAR	D SCREENING DATE: 2024-06-21 10:58:49	
%: 70.0000 - 75.0000	GreenScreen: BM-1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Glass component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
CAN	GHS - Japan	GHS - Japan		use cancer [Carcinogenicity - Category 1A]	
CAN	GHS - Australia	GHS - Australia		H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]	
MAM	GHS - Japan	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Australia		repeated expo	s damage to organs through prolonged or sure [Specific target organ toxicity - sure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
RESTRICTED LIST	Green Science Policy Institute (	(GSPI)	GSPI - Six Cla	sses Precautionary List	
			Antimicrobials		

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the glass.

SODIUM OXIDE ID: 1313-59-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-21 11:06:40

%: 12.0000 - 15.0000

GreenScreen: BM-2

RC: UNK

NANO: No SUBSTANCE ROLE: Glass component

None found		No listings found on Additional Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No warnings found on HPD Priority Hazard Lists
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the glass.

LIME ID: 1305-78-8

HAZARD DATA SOURCE	Pharos Chemical and Materials Library	,	HAZARI	D SCREENING DATE: 2024-06-21 11:08:05	
%: 8.0000 - 12.0000	GreenScreen: BM-2	RC: UNK	NANO: No	SUBSTANCE ROLE: Glass component	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
SKI	GHS - Australia	GHS - Australia		H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]	
MAM	GHS - Japan	GHS - Japan		H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]	
MAM	GHS - Japan	1		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
SKI	GHS - New Zealand	GHS - New Zealand		Skin corrosion category 1C	
EYE	GHS - New Zealand	GHS - New Zealand		Serious eye damage category 1	
EYE	GHS - Japan	GHS - Japan		H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]	
SKI	GHS - Japan		H315 - Causes Category 2]	s skin irritation [Skin corrosion / irritation -	
EYE	GHS - Australia	GHS - Australia		s serious eye damage [Serious eye ritation - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N	
RESTRICTED LIST	Green Science Policy Institute (0	GSPI)	GSPI - Six Cla	sses Precautionary List	
			Antimicrobials		

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the glass.

MAGNESIUM OXIDEID: 1309-48-4HAZARD DATA SOURCE:Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2024-06-21 11:08:56%: 2.0000 - 4.0000GreenScreen: BM-3dgRC: UNKNANO: NoSUBSTANCE ROLE: Glass component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the glass.

Triangle Industries MSDS lists contents of Magnesium Oxide as:

"SiO2 0.35%

Fe2O3 0.15%

Al2O3 0.10%

CaO 0.80%

MgO 98.20 % min 97.00%

"The oxides shown in the typical chemical analysis do not exist in the magnesium oxide as free, uncombined oxides, but are combined in complex mineralogical phases." (Triangle Chemical Company) - Per the Pharos database.

## **ALUMINIUM PROFILE** %: 3.0000 - 6.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

 ${\tt OTHER\ MATERIAL\ NOTES:}\ The\ aluminum\ profiles\ used\ are\ made\ of\ Al-6061\ and\ Al-6032\ alloys.$ 

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-20 12:19:45

%: 96.0000 - 98.0000

GreenScreen: BM-1

RC: UNK NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: This is a base material of Aluminium alloy. The composition of the listed ingredient may vary.

MAGNESIUM				ID: <b>7439-95-4</b>
HAZARD DATA SOURCE	Pharos Chemical and Materials Li	brary	HAZARD	SCREENING DATE: 2024-06-21 12:08:29
%: 0.4500 - 1.2000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Alloy element

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for

HAZARD DATA SOURCE: I	Pharos Chemical and Materials Library	/	HAZARD	SCREENING DATE: 2024-06-21 12:09:2
%: 0.2000 - 0.8000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No w	arnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			1	No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloy.

IRON, ELEMENTALID: 7439-89-6HAZARD DATA SOURCE:Pharos Chemical and Materials LibraryHAZARD SCREENING DATE: 2024-06-21 12:00:05

%: 0.1700 - 0.7000 GreenScreen: LT-P1 RC: UNK NANO: No SUBSTANCE ROLE: Alloy element

AL-6061 & AL-6063 alloy.

**SILICON, ELEMENTAL** 

ID: 7440-21-3

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloy.

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-06-21 11:59:		
%: 0.0100 - 0.4000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibito
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Hazardous to Waters		Class 3 - Seve	ere Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1		H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]	
MAM	GHS - Japan		H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]	
MAM	GHS - Japan		H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
RESTRICTED LIST	Perkins+Will (P+W)		P&W - Precau	itionary List
			Precautionary avoidance	list of substances recommended for
RESTRICTED LIST	Green Science Policy Institute (GS	SPI)	GSPI - Six Cla	asses Precautionary List
			Antimicrobials	
RESTRICTED LIST	Cradle to Cradle Products Innovati (C2CPII)	on Institute		v4.0 Product Standard Restricted ist (RSL) - Effective July 1, 2022
			Biological and	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovati (C2CPII)	on Institute		v4.0 Product Standard Restricted ist (RSL) - Effective July 1, 2022
			Children's Pro	

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloy.

CHROMIUM ID: 7440-47-3

HAZARD DATA SOURCE: P	haros Chemical and Materials Library		HAZAF	RD SCREENING DATE: 2024-06-21 11:57:3
%: 0.0100 - 0.3500	GreenScreen: LT-P1 RC	: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disruptor	TEDX - Potential Endocrine Disruptors		ocrine Disruptor
SKI	MAK		Sensitizing Su	ubstance Sh - Danger of skin sensitization
MAM	GHS - Japan		-	ause respiratory irritation [Specific target - Single exposure - Category 3]
REP	GHS - New Zealand		Reproductive toxicity category 2	
RES	GHS - Japan		H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATIO	N
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	Institute	te C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022	
			Biological and	Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	Institute		v4.0 Product Standard Restricted ist (RSL) - Effective July 1, 2022
			Children's Pro	oducts
RESTRICTED LIST	Cradle to Cradle Products Innovation (C2CPII)	Institute		v4.0 Product Standard Restricted ist (RSL) - Effective July 1, 2022
			Cosmetics & F	Personal Care Products

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloy.

ZINC, ELEMENTAL				ID: <b>7440-66-6</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Lil	brary	HAZAF	RD SCREENING DATE: 2024-06-21 12:10:08
%: 0.0100 - 0.2500	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE	≣	WARNINGS	
MUL	German FEA - Substances Waters	Hazardous to	Class 3 - Sev	ere Hazard to Waters
AQU	GHS - New Zealand		Hazardous to	the aquatic environment - acute category 1
AQU	GHS - New Zealand		Hazardous to	the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List
		Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloy.

# **POWDER COATING**

%: 0.1000 - 1.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES: VOC content = 0 gm/L

### **BISPHENOL A EPICHLOROHYDRIN POLYMER**

ID: 25068-38-6

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		HAZARD SCF	REENING DATE: 2024-06-20 12:43:32
%: <b>40.0000 - 50.0000</b>	GreenScreen: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Binder

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024
		Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. The actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD DATA SOURCE	Pharos Chemical and Materials L	ibrary	HAZARD SCRE	ENING DATE: 2024-06-20 12:44:4
%: 50.0000	GreenScreen: BM-1	RC: UNK	NANO: <b>Unknown</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE	Œ	WARNINGS	
CAN	US CDC - Occupational C	Carcinogens	Occupational Carcinog	en**
CAN	CA EPA - Prop 65		Carcinogen - specific to	o chemical form or exposure route**
CAN	IARC		Group 2B - Possibly ca from occupational sour	rcinogenic to humans - inhaled ces**
CAN	MAK		-	Evidence of carcinogenic effects ablish MAK/BAT value**
END	TEDX - Potential Endocri	ne Disruptors	Potential Endocrine Dis	sruptor**
CAN	MAK		Carcinogen Group 4 - Nrisk under MAK/BAT le	Non-genotoxic carcinogen with low vels**
CAN	IARC		Group 2b - Possibly car	rcinogenic to humans**
CAN	EU - GHS (H-Statements	Annex 6 Table 3-1	H351 - Suspected of ca Category 2]**	ausing cancer [Carcinogenicity -
CAN	GHS - Japan		H351 - Suspected of ca Category 2]**	ausing cancer [Carcinogenicity -
MAM	GHS - Japan		_	e to organs through prolonged or ecific target organs/systemic toxicity osure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	Œ	NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute	C2C Certified v4 Produ List (RSL) - Effective Ju	act Standard Restricted Substances July 1, 2022
			Children's Products	
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute	C2C Certified v4 Produ List (RSL) - Effective Ju	act Standard Restricted Substances July 1, 2022
			Formulated Consumer	Products
RESTRICTED LIST	Cradle to Cradle Products (C2CPII)	Innovation Institute	C2C Certified v4 Produ List (RSL) - Effective Ju	act Standard Restricted Substances July 1, 2022
			Cosmetics & Personal	Care Products
POSITIVE LIST	US Environmental Protec	tion Agency (US	US EPA - DfE Safer Ch	nemicals Ingredients list (SCIL)
	EPA)		Colorants - Green Circl	e (Verified Low Concern)

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. The actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

FIBERGLASS ID: 65997-17-3

<sup>\*\*</sup>Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

HAZARD DATA SOURCE:	Pharos Chemical and Materials Libr	ary	HAZARD S	CREENING DATE: 2024-06-20 12:45:39
%: 3.0000 - 7.0000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European EC)	Commission (EU	EU - REACH Exer	nptions
	20)		Exempted from RI safety	EACH Annex V listing due to intrinsic

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. The actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

# VINYL FILM %: 0.1100

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES:

POLYVINYL BUTYRAL ID: 63148-65-2

HAZARD DATA SOURCE	E: Pharos Chemical and Materials Library		HAZARD	SCREENING DATE: 2024-06-20 13:05:55
%: 100.0000	GreenScreen: LT-UNK	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Polymer species
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No v	varnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	B LIST NAME AND SOURCE		NOTIFICATION	I
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. It's important to note that the actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

## STEEL HARDWARE %: 0.1000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

IRON, ELEMENTAL				ID: <b>7439-89-6</b>
HAZARD DATA SOURCE: Pharo	s Chemical and Materials Libra	nry	HAZA	RD SCREENING DATE: 2024-06-20 12:50:21
%: <b>67.0000 - 72.0000</b>	GreenScreen: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Structure component
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine D	isruptors	Potential End	docrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	ON
None found				No listings found on Additional Hazard Lists

SUBSTANCE NOTES: As per the IMD (Innovative Material and Devices) SDS, the following is the composition for Stainless Steel 304: IRON Balance
CHROMIUM 19%
NICKEL 9.5%
MANGANESE 2% Max
SILICON 0.5% Max
CARBON 0.5% Max
PHOSPHORUS 0.5% Max
SULFUR 0.5% Max

CHROMIUM ID: 7440-47-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Lib	rary	HAZAF	RD SCREENING DATE: 2024-06-21 11:36:18
%: 18.0000 - 20.0000	GreenScreen: LT-P1	RC: UNK	NANO: <b>No</b>	SUBSTANCE ROLE: Corrosion inhibitor
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine	Disruptors	Potential End	ocrine Disruptor
SKI	MAK		Sensitizing Su	ubstance Sh - Danger of skin sensitization
MAM	GHS - Japan		•	ause respiratory irritation [Specific target - Single exposure - Category 3]
REP	GHS - New Zealand		Reproductive	toxicity category 2
RES	GHS - Japan		•	ause allergy or asthma symptoms or culties if inhaled [Respiratory sensitization -

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022
		Cosmetics & Personal Care Products

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the steel.

NICKEL				ID: <b>7440-02-0</b>
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library		НА	ZARD SCREENING DATE: 2024-06-21 11:37:07
%: 7.0000 - 10.0000	GreenScreen: LT-1	RC: UNK	NANO: No	SUBSTANCE ROLE: Tensile strength additive

CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
ERANG STRIP	% <del>. Ю. <b>ов</b>Ю</del> <sup>ап</sup>	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
RODUCT THRESHOLD: 100 ppm	DECIDING AND IMPURITIES EVALUATION	COMPLETED. V MATERIAL TYPE, P-I
MAM RESIDUALS AND IMPURITIES NO pplied to Residuals and Impurities appurities below the declared Inven	GHS - Japan DTES: Impurities listed above the threshold are note (R/I) is the same as that applied to intentionally ad- atory Threshold do not need to be reported on the H are for marking a purposes only and are not a g	COMPLETED: Yes MATERIAL TYPE: Polymeric Material H372 - Causes damage to organs through prolonged or ed ireposited by the Isperiical and Ireposited by the Isperiical and Ireposited by the Isperiical and Ireposited in Ireposit
MAM RESIDUALS AND IMPURITIES NO pplied to Residuals and Impurities impurities below the declared Inven- the office, residuals and impurities other MATERIAL NOTES: Sealin MAM	GHS - Japan DTES: Impurities listed above the threshold are note (R/I) is the same as that applied to intentionally ad- atory Threshold do not need to be reported on the H- are for the mail and purposes only and are not a g- ang gasket.  GHS - Japan	H372 - Causes damage to organs through prolonged or ed irepasted by อุณาสาร์ อุดศ์กัล เอเซละ รางาย mices หนึ่งป่า ded ในหน้าสูก เอเซละ เลย เอเซละ รางาย การ์ เอเซละ รางาย รางาย การ์ เอเซละ ราง
MAM RESIDUALS AND IMPURITIES NO pplied to Residuals and Impurities impurities below the declared Inven- the office, residuals and impurities other MATERIAL NOTES: Sealin MAM	GHS - Japan DTES: Impurities listed above the threshold are noted (R/I) is the same as that applied to intentionally adultory Threshold do not need to be reported on the Hare of the management	H372 - Causes damage to organs through prolonged or ed irepasted by course specificates day seems of the course specificates and ed discussion course seems of the course specificates and PD. For this product, no actual material has been tested. uard អាម ចាប់ មានទាំង នោះ បាន
MAM RESIDUALS AND IMPURITIES NO pplied to Residuals and Impurities inpurities below the declared Inven the office, residuals and impurities OTHER MATERIAL NOTES: Sealin MAM 4,7-METHANO-1H-INDENE, 3A, WITH ETHENE AND 1-PROPEN	GHS - Japan DTES: Impurities listed above the threshold are noted (R/I) is the same as that applied to intentionally adultory Threshold do not need to be reported on the Hare of the management	H372 - Causes damage to organs through prolonged or ad irepreside by pourer [Specific target เขายนะ รัฐเราะ เกาะ เกาะ เกาะ เกาะ เกาะ เกาะ เกาะ เก
MAM RESIDUALS AND IMPURITIES NO pplied to Residuals and Impurities inpurities below the declared Inven- inered e, residuals and impurities other MATERIAL NOTES: Sealing MAM 4,7-METHANO-1H-INDENE, 3A, WITH ETHENE AND 1-PROPEN HGANRD DATA SOURCE: Phan	GHS - Japan OTES: Impurities listed above the threshold are note (R/I) is the same as that applied to intentionally ad- ntory Threshold do not need to be reported on the H- are for mornialization purposes only and are not a g- ng gasket.  GHS - Japan 4,7,7A-TETRAHYDRO-, POLYMER E	H372 - Causes damage to organs through prolonged or ad iremaster by curar [Specific target religious solutions of the product of the power of the po
MAM RESIDUALS AND IMPURITIES NO pplied to Residuals and Impurities inpurities below the declared Inven- inered e, residuals and impurities other MATERIAL NOTES: Sealing MAM 4,7-METHANO-1H-INDENE, 3A, WITH ETHENE AND 1-PROPEN HGANRD DATA SOURCE: Phan	GHS - Japan OTES: Impurities listed above the threshold are note (R/I) is the same as that applied to intentionally adultory Threshold do not need to be reported on the Hare for Informational purposes only and are not a going gasket.  GHS - Japan 4,7,7A-TETRAHYDRO-, POLYMER E  TOS CEIEMICAL CONTROL OF THE STATE OF T	H372 - Causes damage to organs through prolonged or ad irepasted by cural specific target and specific target organs. The interest of the specific target organs in the interest of the specific target organ toxicity - repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]  H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure 25034-71-3 Category 1]  Carcinogen Category 1]
MAM RESIDUALS AND IMPURITIES NO pplied to Residuals and Impurities inpurities below the declared Inven- the office, residuals and impurities of the MATERIAL NOTES: Sealing MAM 4,7-METHANO-1H-INDENE, 3A, WITH ETHENE AND 1-PROPEN  HOANRD DATA SOURCE: Phane %SKIDO.0000 Green	GHS - Japan OTES: Impurities listed above the threshold are noted (R/I) is the same as that applied to intentionally adottory. Threshold do not need to be reported on the Hare for manifold purposes only and are not a going gasket.  GHS - Japan 4,7,7A-TETRAHYDRO-, POLYMER E  TOS CHIEMICAL COMMINISTICAL SLIBRARY  SCIEMIST-NAIK Zealand  RC: UNK	H372 - Causes damage to organs through prolonged or ad irepasted by cure Specific target and specific target organization cappaired to power to the composite of the composite o
MAM RESIDUALS AND IMPURITIES NO pplied to Residuals and Impurities inpurities below the declared Inven- ine of the residuals and impurities of there is a matternal notes: Sealing MAM 4,7-METHANO-1H-INDENE, 3A, WITH ETHENE AND 1-PROPEN HOANRD DATA SOURCE: Phan %SK100.0000 Green ADJARD TYPE	GHS - Japan  OTES: Impurities listed above the threshold are note  (R/I) is the same as that applied to intentionally adultory Threshold do not need to be reported on the Hare for material purposes only and are not a going gasket.  GHS - Japan  4,7,7A-TETRAHYDRO-, POLYMER  E  TOS CEIEMICAL CONTROL  SCIENTIAL CONTROL  CHS NAME ZAGLAGOURCE	H372 - Causes damage to organs through prolonged or and iremasted by cural specific target recognized the specific target of process of the specific target organs to vicity - repeated exposure - Category 1]  H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure 25034-71-3 Category 1]  Carcinopen Category 1]  Carcinopen Category 1]  Carcinopen Category 25 NSNS pected thu 2024 Con 2001 2010 244  Skinns ensitible ion category 3TANCE ROLE: Sealant  Hazardous to the aquatic environment - acute category 1

SUBSTANCE NOTES: The manufacturer did not disclose the information for this material. The actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

# Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

### **VOC EMISSIONS**

# Inherently non-emitting source per LEED

CERTIFYING PARTY: Self-declared

ISSUE DATE: 2024-06-21 00:00:00

CERTIFIER OR LAB: None

APPLICABLE FACILITIES: This is not facility-based.

**CERTIFICATE URL:** 

CERTIFICATION AND COMPLIANCE NOTES: Per LEED v4.1 Product is an inherently nonemitting source of VOCs (stone, ceramic, powder-coated metals, plated or anodized metal, glass, concrete, clay brick, and unfinished or untreated solid wood) and has no binders, surface coatings, or sealants that include organic chemicals.

**EXPIRY DATE:** 



# Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

## Section 5: General Notes

No accessories were added because this must be installed by professional installers who will use their tools and methods. Exact methods are determined by site-specific conditions, therefore, additional tools and products are unknown. For manufacturer-specific installation instructions, please visit the website: bridgewallsystems.com

## Specifications:

System Dimensions:

• Glass Thickness: 3/8" or 1/2"

• Top Adjustability: 1 1/4"

Base Adjustability: 3/4"

• Minimum Wall Height: 12"

• Maximum Wall Height: 120"

• Maximum Glass Width: 48"

• Maximum Door Height: 120"

• Top Profile Height: 2 1/2"

• Bottom Profile Height: 1 1/2"

• Profile Width: 1 1/4" or 2 3/8"

# Door Options:

- · Aluminum Framed Sliding Door
- Aluminum Framed Swing Door

### **Extrusion Finishes:**

- Clear Anodized
- Black Powder Coat
- Custom Finish

#### **MANUFACTURER INFORMATION**

MANUFACTURER: Labeling Sustainability

ADDRESS: 89 Paramount Road Winnipeg, Manitoba R2M COUNTRY: Canada

WEBSITE: www.bridgewallsystems.com

CONTACT NAME: lan Michaluk

TITLE: Project Manager PHONE: 204-290-0881

EMAIL: ian@bridgewallsystems.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

#### KEY

# **Hazard Types**

**AQU** Aquatic toxicity

**CAN** Cancer

**DEV** Developmental toxicity

**END** Endocrine activity **EYE** Eye irritation/corrosivity

**GEN** Gene mutation

**GLO** Global warming

**LAN** Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

**NEU** Neurotoxicity

**NF** Not found on Priority Hazard Lists

**OZO** Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

**REP** Reproductive

**RES** Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

**UNK** Unknown

### GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

**BM-2** Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

**LT-1** List Translator 1 (Likely Benchmark-1) **LT-UNK** List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

## **Recycled Types**

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

**UNK** Inclusion of recycled content is unknown

None Does not include recycled content

### Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

## **Inventory Methods:**

**Nested Method** / **Material Threshold** Substances listed within each material per threshold indicated per material **Nested Method** / **Product Threshold** Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

