

HPD UNIQUE IDENTIFIER: 2742956032

CLASSIFICATION: 10 22 19 Demountable Partitions

PRODUCT DESCRIPTION: Melius is a demountable glass wall system with the perfect mix of premium aesthetics and acoustic privacy for the modern office environment with a glass pivot door. The ease of installation and reconfiguration ensures an organization can easily grow and evolve its space without the hassles of a traditional renovation. The Melius wall system is highly customizable and offers a wide range of acoustic ratings to meet any project's needs.

Section 1: Summary

Nested Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format	Threshold Level	Residuals/Impurities Evaluation	For all contents above the threshold, the manufacturer has:
<input checked="" type="radio"/> Nested Materials Method <input type="radio"/> Basic Method	<input checked="" type="radio"/> 100 ppm <input type="radio"/> 1,000 ppm <input type="radio"/> Per GHS SDS <input type="radio"/> Other	Completed in 7 of 7 Materials Explanation(s) provided for Residuals/Impurities? <input checked="" type="radio"/> Yes <input type="radio"/> No	Characterized <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided weight and role.</i> Screened <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided screening results using HPDC-approved methods.</i> Identified <input checked="" type="radio"/> Yes <input type="radio"/> No <i>Provided name and CAS RN or other identifier.</i>
Threshold Disclosed Per			
<input type="radio"/> Material <input checked="" type="radio"/> Product			

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

NESTED MATERIAL | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

GLASS [SILICON DIOXIDE BM-1 | CAN | MAM SODIUM OXIDE BM-2 LIME BM-2 | SKI | MAM | EYE MAGNESIUM OXIDE BM-3dg | CAN | MAM] WOOD DOOR [WOOD UREA, POLYMER WITH FORMALDEHYDE AND 1,3,5-TRIAZINE-2,4,6-TRIAMINE LT-UNK POLYVINYL ACETATE LT-UNK BISPHENOL A-EPICHLOROHYDRIN ACRYLATE BM-1 | MUL SLACK WAX (PETROLEUM) LT-1 | CAN | MUL | DEV TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | MUL | EYE | AQU FORMALDEHYDE BM-1 | CAN | END | SKI | MUL | MAM | GEN | AQU | EYE | PHY UREA LT-UNK | EYE MELAMINE LT-1 | END | CAN | MAM] ALUMINIUM PROFILE [ALUMINUM BM-1 | END | PHY | MAM MAGNESIUM LT-UNK | PHY | MAM | SKI | EYE SILICON, ELEMENTAL LT-UNK IRON, ELEMENTAL LT-P1 | END COPPER LT-P1 | MUL | AQU | MAM CHROMIUM LT-P1 | END | SKI | MAM | REP | RES ZINC, ELEMENTAL LT-P1 | MUL | AQU] POWDER COATING [TITANIUM DIOXIDE BM-1 | CAN | END | MAM BISPHENOL A EPICHLOROHYDRIN POLYMER LT-P1 | MUL | SKI | EYE | AQU FIBERGLASS LT-UNK] VINYL FILM [POLYVINYL BUTYRAL LT-UNK] STEEL HARDWARE [IRON, ELEMENTAL LT-P1 | END CHROMIUM LT-P1 | END | SKI | MAM | REP | RES NICKEL LT-1 | CAN | MUL | RES | MAM | SKI | AQU] SEALING STRIP [4,7-METHANO-1H-INDENE, 3A,4,7,7A-TETRAHYDRO-, POLYMER WITH ETHENE AND 1-PROPENE LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ... BM-1, LT-P1, LT-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Special Conditions applied: [BiologicalMaterial]

This HPD was produced using primary information from the manufacturer, including CAS numbers and SDS when needed. The manufacturer has made every effort to report the substances in this product to the listed threshold. This is a voluntary, self-reported effort. Any errors or omissions shall be considered a human error and therefore reported to the manufacturer. The manufacturer shall not be liable for omissions. All ingredients and materials have been screened at a 100 ppm level. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Inherently non-emitting source per LEED

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Option 1.

Third Party Verified?

Yes

No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2024-06-29

PUBLISHED DATE: 2024-06-29

EXPIRY DATE: 2027-06-29

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

GLASS

#: 68.0000 - 72.0000

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

MATERIAL TYPE: Glass

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES: Base material.

SILICON DIOXIDE

ID: 7631-86-9

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-29 6:15:36

#: 70.0000 - 75.0000

GreenScreen: BM-1

RC: UNK

NANO: No

SUBSTANCE ROLE: Glass component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the glass.

SODIUM OXIDE

ID: 1313-59-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2024-06-29 6:15:37

#: 12.0000 - 15.0000

GreenScreen: BM-2

RC: UNK

NANO: No

SUBSTANCE ROLE: Glass component

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the glass.

LIME

ID: 1305-78-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-29 6:15:37**

#: **8.0000 - 12.0000** GreenScreen: **BM-2** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Glass component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
SKI	GHS - New Zealand	Skin corrosion category 1C
EYE	GHS - New Zealand	Serious eye damage category 1
EYE	GHS - Japan	H318 - Causes serious eye damage [Serious eye damage / eye irritation - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
EYE	GHS - Australia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the glass.

MAGNESIUM OXIDE

ID: 1309-48-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-29 6:15:37**

#: **2.0000 - 4.0000** GreenScreen: **BM-3dg** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Glass component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the glass.

Triangle Industries MSDS lists contents of Magnesium Oxide as:

"SiO2 0.35%

Fe2O3 0.15%

Al2O3 0.10%

CaO 0.80%

MgO 98.20 % min 97.00%

"The oxides shown in the typical chemical analysis do not exist in the magnesium oxide as free, uncombined oxides, but are combined in complex mineralogical phases." (Triangle Chemical Company) - Per the Pharos database.

WOOD DOOR

%: 20.0000 - 25.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Wood or Lumber

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES: Melius Demountable Partition with Wood door option.

WOOD

ID: **Biological Material**

HAZARD DATA SOURCE: [HPDC Special Conditions Policy](#)

%: **84.0000 - 88.0000** GreenScreen: **Not Required** RC: **UNK** NANO: **No** MATERIAL ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
Hazard Screening is not applicable to this Special Condition		

BIOLOGICAL MATERIALS CATEGORY: Tree-based materials

INGREDIENT DESCRIPTION: Solid wood

MATERIAL CONTENT NOTES: No information has been provided by the manufacturer regarding the recycled content of wood.

This disclosure does not provide information on allergens, hyper-accumulation of metals, production of any toxic substances during normal metabolic activities, pesticides, and other potential hazards or sources of hazards which may be found in certain biological materials.

UREA, POLYMER WITH FORMALDEHYDE AND 1,3,5-TRIAZINE-2,4,6-TRIAMINE

ID: **25036-13-9**

%: **7.0000 - 8.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The manufacturer did not disclose the information for this material due to proprietary reasons. The data gaps were addressed using information from the HPDs available at Pharos database for common building materials. The actual material used may not necessarily match the exact ingredients listed. This information is intended for screening purposes only.

POLYVINYL ACETATEID: **9003-20-7**

%: **1.0000 - 2.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Adhesive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer did not disclose the information for this material due to proprietary reasons. The data gaps were addressed using information from the HPDs available at Pharos database for common building materials. The actual material used may not necessarily match the exact ingredients listed and its composition may vary. This information is intended for screening purposes only.

BISPHENOL A-EPICHLOROHYDRIN ACRYLATEID: **55818-57-0**

%: **0.5000 - 1.0000** GreenScreen: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The manufacturer did not disclose the information for this material due to proprietary reasons. The data gaps were addressed using information from the HPDs available at Pharos database for common building materials. The actual material used may not necessarily match the exact ingredients listed and its composition may vary. This information is intended for screening purposes only.

SLACK WAX (PETROLEUM)

ID: 64742-61-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-29 6:15:37**

%: **0.1000 - 1.0000** GreenScreen: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Water resistance**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
CAN	GHS - Australia	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
DEV	GHS - Australia	H361d - Suspected of damaging the unborn child [Reproductive toxicity - Category 2]
CAN	EU - REACH Annex XVII CMRs	Carcinogens: Category 1B

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP11)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products

SUBSTANCE NOTES: The manufacturer did not disclose the information for this material due to proprietary reasons. The data gaps were addressed using information from the HPDs available at Pharos database for common building materials. The actual material used may not necessarily match the exact ingredients listed and its composition may vary. This information is intended for screening purposes only.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-29 6:15:38**

%: **0.1000 - 0.3000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Coating**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
SKI	GHS - New Zealand	Skin irritation category 2
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
AQU	GHS - Japan	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer did not disclose the information for this material due to proprietary reasons. The data gaps were addressed using information from the HPDs available at Pharos database for common building materials. The actual material used may not necessarily match the exact ingredients listed and its composition may vary. This information is intended for screening purposes only.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-29 6:15:39**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	EU - Annex VI CMRs	Carcinogen Category 1B - Presumed Carcinogen based on animal evidence
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	ChemSec - SIN List	CMR - Carcinogen, Mutagen &/or Reproductive Toxicant
CAN	US EPA - IRIS Carcinogens	(1986) Group B1 - Probable human Carcinogen
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
MAM	US EPA - EPCRA Extremely Hazardous Substances	Extremely Hazardous Substances
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]
CAN	GHS - Korea	H350 - May cause cancer [Carcinogenicity - Category 1]
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H350 - May cause cancer [Carcinogenicity - Category 1A or 1B]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
GEN	EU - GHS (H-Statements) Annex 6 Table 3-1	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]

SKI	GHS - Japan	H314 - Causes severe skin burns and eye damage [Skin corrosion / irritation - Category 1]
SKI	GHS - Australia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
SKI	GHS - Korea	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1]
AQU	GHS - Japan	H401 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
MAM	GHS - Korea	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	Québec CSST - WHMIS 1988	Class D1A - Very toxic material causing immediate and serious toxic effects
GEN	EU - Annex VI CMRs	Mutagen - Category 2
MAM	GHS - Japan	H311 - Toxic in contact with skin [Acute Toxicity (dermal) - Category 3]
MAM	GHS - Malaysia	H300 - Fatal if swallowed [Acute toxicity (oral) - Category 1 or 2]
MAM	GHS - Malaysia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Malaysia	H331 - Toxic if inhaled [Acute toxicity (inhalation) - Category 3]
SKI	GHS - Malaysia	H314 - Causes severe skin burns and eye damage [Skin corrosion/irritation - Category 1A or 1B or 1C]
EYE	GHS - Malaysia	H318 - Causes serious eye damage [Serious eye damage/eye irritation - Category 1]
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - Australia	H311 - Toxic in contact with skin [Acute toxicity (dermal) - Category 3]
MAM	GHS - Korea	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 2]
PHY	GHS - Korea	H220 - Extremely flammable gas [Flammable gases - Category 1]
PHY	Québec CSST - WHMIS 1988	Class B1 - Flammable gases
MAM	GHS - Japan	H330 - Fatal if inhaled [Acute toxicity (inhalation: gas) - Category 2]
PHY	GHS - Japan	H220 - Extremely flammable gas [Flammable gases - Category 1]
CAN	GHS - Malaysia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
AQU	GHS - Australia	H401 - Aquatic Acute 2 - Toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 2]
MAM	GHS - Australia	H330 - Fatal if inhaled [Acute toxicity (inhalation) - Category 1 or 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Some Solvents
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CP II)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: Per the Pharos database, it is an impurity of Urea, polymer with formaldehyde and 1,3,5-triazine-2,4,6-triamine at an unknown level of concentration.

UREA

ID: 57-13-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-29 6:15:39**

#: **0.0000 - 0.1000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
EYE	GHS - New Zealand	Eye irritation category 2
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials

SUBSTANCE NOTES: Per the Pharos database, it is an impurity of Urea, polymer with formaldehyde and 1,3,5-triazine-2,4,6-triamine at an unknown level of concentration.

MELAMINE

ID: 108-78-1

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-29 6:15:38**

#: **0.0000 - 0.1000** GreenScreen: **LT-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Impurity/Residual**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
END	EU - SVHC List	Equivalent Concern - Candidate List
END	EU - SVHC List	Equivalent Concern - Prioritization List: endocrine disrupting properties cause probable serious effects to the environment or human health
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES: Per the Pharos database, it is an impurity of Urea, polymer with formaldehyde and 1,3,5-triazine-2,4,6-triamine at an unknown level of concentration.

ALUMINIUM PROFILE

#: **3.0000 - 6.0000**

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES: The aluminum profiles used are made of Al-6061 and Al-6032 alloys.

ALUMINUM

ID: 7429-90-5

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-29 6:15:39**

#: **96.0000 - 98.0000** GreenScreen: **BM-1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
PHY	GHS - Japan	H261 - In contact with water releases flammable gas [Substances and mixtures, which in contact with water, emit flammable gases - Category 2]
PHY	GHS - Malaysia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
PHY	GHS - New Zealand	Pyrophoric solids category 1
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES: This is a base material of Aluminium alloy. The composition of the listed ingredient may vary.

MAGNESIUM

ID: 7439-95-4

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-29 6:15:39**

#: **0.4500 - 1.2000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Alloy element**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
PHY	EU - GHS (H-Statements) Annex 6 Table 3-1	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
PHY	GHS - Australia	H250 - Catches fire spontaneously if exposed to air [Pyrophoric liquids; Pyrophoric solids - Category 1]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
PHY	GHS - Australia	H260 - In contact with water releases flammable gases which may ignite spontaneously [Substances and mixtures which, in contact with water, emit flammable gases - Category 1]
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloys.

SILICON, ELEMENTAL

ID: 7440-21-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-06-29 6:15:40		
%: 0.2000 - 0.8000	GreenScreen: LT-UNK	RC: UNK	NANO: No	SUBSTANCE ROLE: Alloy element
HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS		
None found		No warnings found on HPD Priority Hazard Lists		
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION		
None found		No listings found on Additional Hazard Lists		

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloys.

IRON, ELEMENTAL

ID: 7439-89-6

HAZARD DATA SOURCE: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2024-06-29 6:15:40		
%: 0.1700 - 0.7000	GreenScreen: LT-P1	RC: UNK	NANO: No	SUBSTANCE ROLE: Tensile strength additive

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloys.

COPPER

ID: 7440-50-8

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-29 6:15:40**

#: **0.0100 - 0.4000** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Perkins+Will (P+W)	P&W - Precautionary List Precautionary list of substances recommended for avoidance
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloys.

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-29 6:15:40**

%: **0.0100 - 0.3500** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
REP	GHS - New Zealand	Reproductive toxicity category 2
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloys.

ZINC, ELEMENTAL

ID: 7440-66-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-29 6:15:41**

%: **0.0100 - 0.2500** GreenScreen: **LT-P1** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Antimicrobials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products

SUBSTANCE NOTES: The composition of the listed ingredient may vary. The listed composition is according to the Sierra Aluminum SDS for AL-6061 & AL-6063 alloys.

POWDER COATING

%: 0.1000 - 1.0000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES: VOC content = 0 gm/L

TITANIUM DIOXIDE

ID: 13463-67-7

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-29 6:15:40**

%: **50.0000**

GreenScreen: **BM-1**

RC: **UNK**

NANO: **Unknown**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources
CAN	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
CAN	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Formulated Consumer Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products
POSITIVE LIST	US Environmental Protection Agency (US EPA)	US EPA - DfE Safer Chemicals Ingredients list (SCIL) Colorants - Green Circle (Verified Low Concern)

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. The actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

BISPHENOL A EPICHLOROHYDRIN POLYMER

ID: 25068-38-6

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-29 6:15:41**

%: **40.0000 - 50.0000**

GreenScreen: **LT-P1**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Binder**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]
EYE	GHS - New Zealand	Eye irritation category 2
SKI	GHS - Australia	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
SKI	GHS - Japan	H315 - Causes skin irritation [Skin corrosion / irritation - Category 2]
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Australia	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Core Restrictions
RESTRICTED LIST	International Living Future Institute (ILFI)	Living Building Challenge 4.0 - Red List of Materials & Chemicals - Effective April 1, 2024 Red List substances to avoid in Living Building Challenge V4.0 projects

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. The actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

FIBERGLASS

ID: **65997-17-3**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-29 6:15:40**

#: 3.0000 - 7.0000

GreenScreen: **LT-UNK**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Filler**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
EXEMPT	European Union / European Commission (EU EC)	EU - REACH Exemptions Exempted from REACH Annex V listing due to intrinsic safety

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. The actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

VINYL FILM

#: 0.1100

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES:

POLYVINYL BUTYRAL

ID: 63148-65-2

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-29 6:15:41**

#: 100.0000 GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Polymer species**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer did not disclose the CAS RN for this substance due to proprietary reasons. The data gaps were addressed using information from the Quartz database for common building materials and the Pharos database. It's important to note that the actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

STEEL HARDWARE

#: 0.1000

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Metal

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES: This include different hardware used within a demountable partition system including screws, spring, hooks, etc.

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-06-29 6:15:41**%: **67.0000 - 72.0000**GreenScreen: **LT-P1**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: As per the IMD (Innovative Material and Devices) SDS, the following is the composition for Stainless Steel 304:

IRON Balance
 CHROMIUM 19%
 NICKEL 9.5%
 MANGANESE 2% Max
 SILICON 0.5% Max
 CARBON 0.5% Max
 PHOSPHORUS 0.5% Max
 SULFUR 0.5% Max

CHROMIUM

ID: 7440-47-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2024-06-29 6:15:41**%: **18.0000 - 20.0000**GreenScreen: **LT-P1**RC: **UNK**NANO: **No**SUBSTANCE ROLE: **Corrosion inhibitor**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MAM	GHS - Japan	H335 - May cause respiratory irritation [Specific target organ toxicity - Single exposure - Category 3]
REP	GHS - New Zealand	Reproductive toxicity category 2
RES	GHS - Japan	H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled [Respiratory sensitization - Category 1A]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Cosmetics & Personal Care Products

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the steel.

NICKEL

ID: **7440-02-0**

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2024-06-29 6:15:41**

%: **7.0000 - 10.0000**

GreenScreen: **LT-1**

RC: **UNK**

NANO: **No**

SUBSTANCE ROLE: **Tensile strength additive**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
CAN	IARC	Group 1 - Agent is Carcinogenic to humans
CAN	CA EPA - Prop 65	Carcinogen
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen
CAN	IARC	Group 2b - Possibly carcinogenic to humans
CAN	US NIH - Report on Carcinogens	Reasonably Anticipated to be Human Carcinogen
RES	MAK	Sensitizing Substance Sah - Danger of airway & skin sensitization
CAN	EU - GHS (H-Statements) Annex 6 Table 3-1	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
CAN	GHS - New Zealand	Carcinogenicity category 2
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
CAN	EU - Annex VI CMRs	Carcinogen Category 2 - Suspected human Carcinogen
SKI	GHS - New Zealand	Skin sensitisation category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 1
CAN	GHS - Australia	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes Precautionary List Certain Metals
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Biological and Environmentally Released Materials
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Children's Products
RESTRICTED LIST	Cradle to Cradle Products Innovation Institute (C2CPII)	C2C Certified v4.0 Product Standard Restricted Substances List (RSL) - Effective July 1, 2022 Footwear, Apparel & Jewelry Products

SUBSTANCE NOTES: The composition of the listed ingredient may vary depending on the specific supplier of the steel.

SEALING STRIP

%: 0.0600

PRODUCT THRESHOLD: 100 ppm RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes MATERIAL TYPE: Polymeric Material

RESIDUALS AND IMPURITIES NOTES: Impurities listed above the threshold are noted in this HPD by Quartz or Pharos databases. The threshold applied to Residuals and Impurities (R/I) is the same as that applied to intentionally added substances, i.e., 100 ppm or 1000 ppm. Residuals and impurities below the declared Inventory Threshold do not need to be reported on the HPD. For this product, no actual material has been tested. Therefore, residuals and impurities are for informational purposes only and are not a guarantee of presence in the actual building material.

OTHER MATERIAL NOTES: Sealing gasket.

4,7-METHANO-1H-INDENE, 3A,4,7,7A-TETRAHYDRO-, POLYMER WITH ETHENE AND 1-PROPENE

ID: 25034-71-3

HAZARD DATA SOURCE: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2024-06-29 6:15:41**

%: **100.0000** GreenScreen: **LT-UNK** RC: **UNK** NANO: **No** SUBSTANCE ROLE: **Sealant**

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: The manufacturer did not disclose the information for this material. The actual material used may not necessarily match the exact ingredient listed. This information is intended for screening purposes only.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	Inherently non-emitting source per LEED	
CERTIFYING PARTY: Self-declared	ISSUE DATE: 2024-06-21 00:00:00	CERTIFIER OR LAB: None
APPLICABLE FACILITIES: This is not facility-based.	EXPIRY DATE:	
CERTIFICATE URL:		
CERTIFICATION AND COMPLIANCE NOTES: Per LEED v4.1 Product is an inherently nonemitting source of VOCs (stone, ceramic, powder-coated metals, plated or anodized metal, glass, concrete, clay brick, and unfinished or untreated solid wood) and has no binders, surface coatings, or sealants that include organic chemicals.		

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

No accessories were added because this must be installed by professional installers who will use their tools and methods. Exact methods are determined by site-specific conditions, therefore, additional tools and products are unknown. For manufacturer-specific installation instructions, please visit the website: bridgewallsystems.com

Specifications:

System Dimensions:

- Glass Thickness: 3/8" or 1/2"
- Top Adjustability: 1 1/4"
- Base Adjustability: 3/4"
- Minimum Wall Height: 12"
- Maximum Wall Height: 120"
- Maximum Glass Width: 48"
- Maximum Door Height: 120"
- Top Profile Height: 2 1/2"
- Bottom Profile Height: 1 1/2"
- Profile Width: 1 1/4" or 2 3/8"

Door Options:

- Aluminum Framed Sliding Door
- Aluminum Framed Swing Door
- Custom Wood Sliding Door
- Custom Wood Swing Door

Extrusion Finishes:

- Clear Anodized
- Black Powder Coat
- Custom Finish

MANUFACTURER INFORMATION

MANUFACTURER: **Bridgewall Systems**
 ADDRESS: **89 Paramount Road**
Winnipeg, Manitoba R2M
 COUNTRY: **Canada**

WEBSITE: **www.bridgewallsystems.com**
 CONTACT NAME: **Ian Michaluk**
 TITLE: **Project Manager**
 PHONE: **204-290-0881**
 EMAIL: **ian@bridgewallsystems.com**

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible 1 (Possible Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS No GreenScreen.
BM-U Benchmark Unspecified (due to insufficient data)	

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and

